


Met Office Tropical Cyclone Modelling Update


TCORF 10 March 2022
Julian Heming





#### **Global Model Performance 2021**


- Northern hemisphere track error on lower than 2020
- Step reduction in 2014 now dropped out of 5-year running mean
- Recent model changes no significant impact on track error
- Intensity biases and errors similar to recent seasons






# **Hurricanes Elsa (left) and Grace (right)**

- Met Office models good for track
- MOGREPS-G ensemble captured northwards turn a little earlier than deterministic
- Intensification phases not captured




- Several MOGREPS-G ensemble members correctly predicted path across Yucatan into Bay of Campeche out to 6+ days, with confidence increasing over subsequent runs
- Intensification in Gulf of Mexico well predicted a couple of days ahead





# Hurricanes Henri (left) and Ida (right)

- Uncertainty in track captured by ensemble spread
- Over-intensification by deterministic model



Met Office

Met Office Global Model

August 2021

1020

1010

980

980


960


Observations
Forecasts


950

Thirth gains gard galari gala


- Cyclogenesis poorly forecast in deterministic (> 48 h) and ensembles (> 72 h)
- Left bias in model forecasts, but spread covered track
- Forecast intensity too weak







### **Hurricane Sam**



Met Office

1020


**Hurricane Sam Central Pressure Predictions Met Office Global Model** 

September-October 2021




### **Wind-Pressure Relationship**

- Capped drag at high wind speeds implemented in global model late 2020
- Increases wind with no change in pressure for high wind speeds
- Clear improvement in wind-pressure relationship in 2021




### **Model Change 15 March 2022**

- Package of changes including ocean coupling and prognostic entrainment (convective memory)
- TCs systematically weaker, but reduces over-deepening in subtropics
- Impact on track is variable
- To be implemented 15 March 2022 due to overall positive impact on model forecasts
  - e.g. better organisation and timing of tropical precipitation



- Loss of intensity spread in MOGREPS-G ensemble, thought to be largely due to systematic weakening in the model
- Later delivery due to later data cut-off and stability enhancements
- Research project under way to investigate perturbing depth and position of TC observations to help improve ensemble spread


## **Model Change 15 March 2022**





### **Future Model Developments**


- Future changes already under development will reverse systematic weakening and reduce track errors
- Charts for Hurricane Sam compared with atmosphere only version of March 2022 configuration (GA8)
- DevGAL9 (left) rely on mid-level convection and adjustment to convective detrainment
- CoMorph (right) a new scale aware convection scheme
- Still much development and wider testing required, so cannot be implemented yet





## **Future Model Developments**

- Long term plans to run a 5 km resolution global model
- Experimenting with various science settings
- Hurricane Dorian and Typhoon Goni cases run
- Horizontal resolution not the biggest factor for intensity
- Adjustments to mid-level and shallow convection schemes and turbulence have bigger impact






# **Summary**

- Track forecasts good for longest lived TCs (Larry and Sam).
- Ensembles mostly captured tracks even for uncertain cases.
- Intensification not well captured for small TCs and those in deep tropics.
- As found in 2020, cyclogenesis better predicted in main development region than in the Caribbean and Gulf of Mexico.
- Upcoming model change will make TCs weaker better in subtropics, but not in tropics. Ensemble spread decreased.
- Future plans for global model changes include physics changes, new convection scheme, increased horizontal resolution. All improve TC forecasts in early tests.




The End






Additional slides showing more detail






#### **Global Model Performance 2021**


- Northern hemisphere track error on lower than 2020
- Step reduction in 2014 now dropped out of 5-year running mean
- Recent model changes no significant impact on track error









### **Global Model Performance 2021**




#### **Hurricane Elsa**

- Met Office models good for track
- MOGREPS-G ensemble captured northwards turn a little earlier than deterministic
- Intensity forecasts mostly poor
- Intensification phases not captured









CHITT RIVER RITE SHEET SHIFT SHEET SHIFT SHEET SHIFT SHEET SHIFT SHEET SHIFT SHEET SHIFT SHEET SHIFT




#### **Hurricane Grace**

- Several MOGREPS-G ensemble members correctly predicted path across Yucatan into Bay of Campeche out to 6+ days, with confidence increasing over subsequent runs
- Intensification in Gulf of Mexico well predicted a couple of days ahead











#### **Hurricane Henri**

- Uncertainty in track captured by ensemble spread
- Over-intensification by deterministic model





Met Office


Hurricane Henri Central Pressure Predictions

Met Office Global Model

August 2021

### **Hurricane Ida**

Cyclogenesis poorly forecast in deterministic (> 48 h) and ensembles (>



**Hurricane Ida Central Pressure Predictions** Met Office Global Model

August 2021

Met Office

1000